

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) Method ~~for operating a mobile terminal device having an application (50-56) and wherein said mobile terminal device can access at least one data connection (10, 12, 14, 16, 18), comprising the steps of:~~
obtaining properties (100) of at least one data connection (10, 12, 14, 16, 18)
accessible from said a mobile terminal device, and
characterized by
adapting (102) a configuration of said an application (50-56) on said terminal device
in accordance with said properties.
2. (Currently Amended) Method according to claim 1, wherein the only available property comprises the identification of said data connection (10, 12, 14, 16, 18).
3. (Currently Amended) Method according to claim 1, wherein said properties are obtained (100) when a specific data connection (10, 12, 14, 16, 18) is selected.
4. (Currently Amended) Method according to claim 1, wherein said at least one accessible data connection (10, 12, 14, 16, 18) is a potentially accessible data connection (10, 12, 14, 16, 18).
5. (Currently Amended) Method according to claim 1, further comprising ~~the step of~~ determining actually accessible data connections (10, 12, 14, 16, 18), and wherein said properties are obtained (100) during said determination.
6. (Currently Amended) Method according to claim 1, further comprising ~~the step of~~ determining active applications (50-56), and adapting (102) configurations of said determined active applications (50-56).
7. (Currently Amended) Method according to claim 1, further comprising ~~the step of~~ starting (80) an application (50-56) on a mobile terminal device prior to obtaining (100) said properties.

8. (Currently Amended) Method according to claim 1, further comprising ~~the step of~~ detecting ~~(90)~~ a data transfer to be performed by an application ~~(50-56)~~, prior to obtaining ~~(100)~~ said properties.

9. (Currently Amended) Method according to claim 1, further comprising ~~the step of~~ selecting an appropriate data connection ~~(10, 12, 14, 16, 18)~~.

10. (Currently Amended) Software tool for adapting ~~(102)~~ a configuration of an application ~~(50-56)~~ of a mobile terminal to an accessible data connection ~~(10, 12, 14, 16, 18)~~, comprising program code means for carrying out the steps of claim 1 when program code of said program code means is run on a mobile terminal device.

11. (Currently Amended) Computer program for adapting ~~(102)~~ a configuration of an application ~~(50-56)~~ of a mobile terminal to an accessible data connection ~~(10, 12, 14, 16, 18)~~, comprising program code means for carrying out the steps of claim 1 when program code of said program code means is run on a mobile terminal device.

12. (Previously Presented) Computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 1 when program code of said computer program means is run on a mobile terminal device.

13. (Currently Amended) ~~Mobile terminal device~~ Apparatus comprising:
~~data exchanging means for, capable of~~ accessing at least one data connection ~~(10, 12, 14, 16, 18)~~;
~~data processing means for, capable of~~ running applications ~~(50-56)~~; and
means for obtaining properties of at least one data connection ~~(10, 12, 14, 16, 18)~~
accessible by said ~~data exchanging means for~~ accessing at least one data connection; and
~~characterized by~~
means for adapting ~~(2, 40-44, 46, 48)~~ a configuration of at least one application ~~(50-56)~~ according to said obtained properties.

14. (Currently Amended) ~~Mobile terminal device~~ Apparatus according to claim 13, further comprising means for selecting one of said at least one accessible data connections ~~(10, 12, 14, 16, 18)~~.

15. (CANCELED)

16. (Currently Amended) ~~Mobile terminal device~~ Apparatus, comprising:
 an access subsystem ~~(4)~~, responsive to a selection signal ~~(22)~~, for selecting at least one access system from among a plurality of selectable access systems ~~(10, 12, 14, 16, 18)~~;
 a media selection subsystem ~~(2)~~ for providing said selection signal ~~(22)~~;
 an application subsystem ~~(6)~~ having at least one application ~~(50, 52, 56, ...)~~; and
 a configuration server ~~(8)~~, responsive to said selection signal ~~(22)~~, for selecting a specific data connection ~~(10, 12, 14, 16, 18)~~ for said at least one application.

17. (Previously Presented) ~~Mobile terminal device~~ Apparatus according to claim 16, wherein said selection signal is provided only if a data transfer is to be executed.

18. (Previously Presented) ~~Mobile terminal device~~ Apparatus according to claim 17, wherein said selection signal is provided only if a data transfer connection is available.

19. (Previously Presented) ~~Mobile terminal device~~ Apparatus according to claim 16, wherein said selection signal is provided only if a data transfer connection is available.

20. (Previously Presented) ~~Mobile terminal device~~ Apparatus according to claim 16, wherein said selection signal is provided only if a data transfer is actually required.

21. (New) Apparatus, comprising:
 a data exchanger configured to access at least one data connection;
 a data processor configured to run at least one application;
 an obtainer configured to obtain properties of at least one data connection accessible by said data exchanger; and
 an adapter configured to adapt a configuration of at least one application according to said obtained properties.

22. (New) Apparatus according to claim 21, further comprising a selector configured to select one of said at least one accessible data connections.
23. (New) Apparatus according to claim 21, further comprising a storer configured to store said configuration of said at least one application for said at least one accessible data connection.
24. (New) Apparatus, comprising:
means, responsive to a selection signal, for selecting at least one access system from among a plurality of selectable access systems;
means for providing said selection signal;
means for having at least one application; and
means, responsive to said selection signal, for selecting a specific data connection for said at least one application.
25. (New) Apparatus according to claim 24, wherein said selection signal is provided only if a data transfer is to be executed.